

References

- Akyeampong E, Duguma B, Heineman AM, Kamara CS, Kiepe P, Kwesiga F, Ong CK, Otieno HJ and Rao MR (1995) A synthesis of ICRAF's research on alley cropping. In: Alley Farming Research and Development. AFNETA, Ibadan, Nigeria. pp 40-51.
- Arah J and Hodnett M (1997) Approximating soil hydrology in agroforestry models. *Agroforestry Forum* 8(2): 17-20.
- Bayala J, van Noordwijk M, Lusiana B, Ouédraogo S J, Teklehaimanot Z (2004) Separating the tree-soil-crop interactions in agroforestry parkland systems in Sapone (Burkina Faso) using WaNuLCAS. ICRAFSEA - INERA. Poster presented at 1st World Congress of Agroforestry, 27 June - 2 July 2004, Orlando - Florida, USA.
- Breman H and Kessler JJ (1997) The potential benefits of agroforestry in the Sahel and other semi arid regions. *European Journal of Agronomy* 7: 25-33.
- Burgess SSO, Adams MA, Turner NC and Ong CK (1998) Redistribution of soil water by tree root systems. *Oecologia* 3(115): 306-311.
- Cadisch G, Rowe E and van Noordwijk M (1997) Nutrient harvesting - the tree-root safety net. *Agroforestry Forum* 8(2): 31-33.
- Caldwell RM, Pachepsky YA and Timlin DJ (1996) Current research status on growth modeling in intercropping. In: O.Ito et al. (Eds) *Dynamics of Roots and Nitrogen in Cropping Systems of the Semi-Arid Tropics*. Japan International Research Center for Agricultural Sciences. pp 617-635.
- Cannell MGR, Mobbs DC and Lawson GJ (1998) Complementarity of light and water use in tropical agroforests. II. Modelled theoretical tree production and potential crop yield in arid to humid climates. *Forest Ecology and Management* 102: 275-282.
- Cannell MGR, van Noordwijk M and Ong CK (1996) The central agroforestry hypothesis: the trees must acquire resources that the crop would not otherwise acquire. *Agroforestry Systems* 33: 1-5.
- Dawson TE (1993) Hydraulic lift and water use by plants: implications for water balance, performance and plant plant interactions. *Oecologia* 95: 565-574.
- De Willigen P and Van Noordwijk M (1987) Roots for plant production and nutrient use efficiency, Doctoral thesis Agricultural University Wageningen 282 pp.
- De Willigen P and Van Noordwijk M (1989) Rooting depth, synchronization, synlocalization and N use efficiency under humid tropical conditions. In: Van de Heide, J. (eds) *Nutrient Management for Food Crop Production in Tropical Farming Systems*. Institute for Soil Fertility, Haren, pp. 145-156.

- De Willigen P and Van Noordwijk M (1991) Modeling nutrient uptake: from single roots to complete root systems. in: F.W.T. Penning de Vries, HH van Laar and MJ Kropff (eds) *Simulation and Systems Analysis for Rice Production (SARP)*. Simulation Monographs, PUDOC, Wageningen. p. 277-295.
- De Willigen P and Van Noordwijk M (1994) Diffusion and mass flow to a root with constant nutrient demand or behaving as a zero-sink. *Soil Sci.* 157: 162-175.
- De Willigen P, NE Nielsen, N Claassen and AM Castrignanò (2000) Modelling water and nutrient uptake. In: A.L. Smit, A.G. Bengough, C. Engels, M. Van Noordwijk, S. Pellerin and Van der Geijn (eds) 2000. *Root Methods, a Handbook*. Springer Verlag, Berlin. pp 509-544
- Gijsman AJ, Oberson A, Tiessen H and Friesen DK (1996) Limited applicability of the CENTURY model to highly weathered tropical soils. *Agron. J.* 88: 894-903.
- Gotelli ND and Graves GR (1996) *Null Models in Ecology*. Smithsonian Institution Press, Washington, 357 pp.
- Hairiah K, Purnomosidhi P, Khasanah N, Nasution N, Lusiana N, and van Noordwijk M (2003) Pemanfaatan Bagas dan Daduk Tebu untuk Perbaikan Status Bahan Organik Tanah dan Produksi Tebu di Lampung Utara: Pengukuran dan Estimasi Simulasi WaNuLCAS (Use of bagas and sugarcane trash to improve soil organic matter status and sugarcane yield in North Lampung: field measurement and simulation by WaNuLCAS model) . *Agrivita* Vol. 25 No. 1
- Hannon B and Ruth M (1994) *Dynamic Modeling*. Springer-Verlag, New York. 248 pp.
- Howard SB, Ong CK, Black CR and Khan AAH (1997) Using sap flow gauges to quantify water uptake by tree roots from beneath the crop rooting zone in agroforestry systems. *Agrofor. Syst.* 35: 15-29.
- Kropff MJ and Van Laar HH (1993) *Modeling crop - weed interactions*. CAB International, Wallingford (UK).
- Lott JE, Khan AAH, Ong CK and Black CK (1996) Sap flow measurements of lateral roots in agroforestry systems. *Tree Physiol* 16: 995-1001.
- Mobbs DC, Cannell MGR, Crout NMJ, Lawson GJ, Friend AD and Arah J (1998) Complementarity of light and water use in tropical agroforests. I. Theoretical model outline, performance and sensitivity. *Forest Ecology and Management* 102: 259-274.
- Muetzelfeldt R and Taylor J (1997) The suitability of AME (Agroforestry Modeling Environment) for agroforestry modeling. *Agroforestry Forum*, 8(2) 7-9.
- Muthuri C (2004) *Modelling leaf phenology effects on water use and growth; In Impact of agroforestry on crop performance and water resources in semi-arid central Kenya*. PhD thesis, Jomo Kenyatta University of Agriculture and Technology, Kenya, pp 222-251.

- Myers B, Van Noordwijk, M and Vityakon P (1997). Synchrony of nutrient release and plant demand: plant litter, soil environment and farmer management options. in: G. Cadisch and K.E. Giller (eds) *Driven by Nature: Plant Litter Quality and Decomposition*. CAB International, Wallingford (UK) pp. 215 - 229.
- Myers RJK, Palm CA, Cuevas E, Gunatilleke IUN and Brossard M (1994) The synchronisation of nutrient mineralisation and plant nutrient demand. in: P.L. Woomer and M.J. DSwift (Eds.) *The Biological Management of Tropical Soil Fertility*. John Wiley, Chichester (UK) pp 81-116.
- Ong CK 1995. The 'dark side' of intercropping: manipulation of soil resources. In: Sinoquet H and Cruz P (eds.) *Ecophysiology of Tropical Intercropping*, 482 pp. Institut National de la Recherche Agronomique, Paris (France).
- Ong CK and PA Huxley (Eds.). (1996) *Tree-Crop Interactions - a Physiological Approach*. CAB International, Wallingford (UK).
- Palm, C.A., Alegre, J.C., Arevalo, L., Mutuo, P.K., Mosier, A.R. and Coe, R. (2002) Nitrous oxide and methane fluxes in six different land use systems in the Peruvian Amazon. *Global Biogeochemical Cycles* 16(4), 1073.
- Parton WJ, Ojima DS, Cole CV and Schimel DS (1994) A general model for soil organic matter dynamics: sensitivity to litter chemistry, texture and management. In: *Quantitative Modeling of Soil Forming Processes*. Special Publication 39, Soil Science Society of America, Madison WI, USA, pp 147-167.
- Radersma S and C Ong (2004) Spatial distribution of root length density and soil water of linear agroforestry systems in sub-humid Kenya: implications for agroforestry models. *Forest Ecology and Management*, 188(1-3), 77-89
- Rao MR, Nair PK and Ong CK (1997) Biophysical interactions in tropical agroforestry systems. *Agroforestry Systems* 38: 3 - 49.
- Rowe EC, Hairiah K, Giller KE, Van Noordwijk M and Cadisch G (1999) Testing the safety-net role of hedgerow tree roots by ¹⁵N placement at depths.. *Agroforestry Systems* 43: 81-93.
- Rykiel EJ (1996) Testing ecological models: the meaning of validation. *Ecological Modeling* 90: 229-244.
- Sanchez P (1995) Science in agroforestry. *Agroforestry Systems* 30: 5-55.
- Shepherd KD and Soule MJ (1998) Soil fertility management in West Kenya: dynamic simulation of productivity, profitability and sustainability at different resource endowment levels. *Agriculture, Ecosystems & Environment* (in press).
- Sinoquet H, Adam B, Rivet P and Godin C (1997) Interactions between light and plant architecture in an agroforestry walnut tree. *Agroforestry Forum*, 8(2) 37-39.
- Smith DM, Jackson NA, Roberts JM and Ong CK (1998) Reverse flow in tree roots and downward siphoning of water by *Grevillea robusta*. *Functional Ecology* 2(13): 256-264.

- Suprayogo D, Widiyanto, Cadish G, and van Noordwijk M (2003) A Pedotransfer resource database (PTFRDB) for tropical soils : test with the water balance of WaNuLCAS in: D Post (eds) Proceedings of the 2003 MODSIM Conference - Volume 1. Townsville, Australia. p 584-589.
- Suprayogo D, Widiyanto and Lusiana B (2002) Diagnosis Kesehatan Bertani Berbasis Pohon: Apakah air dan hara tanah digunakan secara efisien. In: S.M. Sitompul and S.R. Utami (eds) Akar Pertanian Sehat: Konsep dan Pemikiran. Biological Management of Soil Fertility (BMSF), Brawijaya University, Malang (Indonesia). p 117-129
- Suprayogo, D. (2000) Testing the Safety - Net Hypothesis in Hedgerow Intercropping: water balance and mineral - N leaching in the humid tropics. PhD thesis, Imperial College London, Wye Campus, UK, 316 pp.
- Tomich TP, Van Noordwijk M, Budidarseno S, Gillison A, Kusumanto T, Murdiyarso D, Stolle F and Fagi AM (1998b) Alternatives to Slash-and-Burn in Indonesia, Summary report and synthesis of Phase II. ICRAF S.E. Asia, Bogor, Indonesia, 139 pp.
- Tomich TP, Van Noordwijk M, Vosti S and Whitcover J (1998a) Agricultural Development with Rainforest Conservation: Methods for Seeking Best Bet Alternatives to Slash-and-Burn, with Applications to Brazil and Indonesia. *Agricultural Economics* 19: 159-174.
- Van Noordwijk M, Rahayu S, Williams SE, Hairiah K, Khasanah N, Schroth G (2003) Crop and tree root-system dynamics In M. van Noordwijk, G. Cadisch, C.K. Ong (eds) *BelowGround Interaction in tropical Agroecosystems: Concepts and Models with multiple plant component*, CABI, Wallingford, UK
- Van Noordwijk M (1989) Rooting depth in cropping systems in the humid tropics in relation to nutrient use efficiency. In: J. van der Heide (ed.) *Nutrient Management for Food Crop Production in Tropical Farming Systems*. Institute for Soil Fertility, Haren. p 129-144.
- Van Noordwijk M (1996a) A simple model to quantify mulch and shade effects. In: C.K. Ong and P.A. Huxley (Eds.). *Tree-Crop Interactions - a Physiological Approach*. CAB International, Wallingford (UK). pp 51-72.
- Van Noordwijk M (1996b) Models as part of agroforestry research design. *AGRIVITA* 19: 192-197.
- Van Noordwijk M and Brouwer G (1997). Roots as sinks and sources of carbon and nutrients in agricultural systems. in: L. Brussaard and R. Ferrera-Cerrato (eds.) *Soil Ecology in Sustainable Agricultural Systems*. CRC Lewis Publ., Boca Raton. pp 71-89.
- Van Noordwijk M and Cadisch G (2002) Access and excess problems in plant nutrition. *Plant and Soil* 247:25-40

- Van Noordwijk M and Lusiana B (1999) WaNuLCAS, a model of water, nutrient and light capture in agroforestry systems. *Agroforestry Systems* 43: 217-242.
- Van Noordwijk M and Ong CK (1999) Can the ecosystem mimic hypotheses be applied to farms in African savannahs?. *Agroforestry Systems* 45: 131-158.
- Van Noordwijk M and Purnomosidhi P (1995) Root architecture in relation to tree soil crop interactions and shoot pruning in agroforestry. *Agroforestry Systems* 30: 161-173.
- Van Noordwijk M and Van de Geijn SC (1996) Root, shoot and soil parameters required for process-oriented models of crop growth limited by water or nutrients. *Plant and Soil* 183: 1-25.
- Van Noordwijk M, Hairiah K, Lusiana B and Cadisch G (1998a) Tree - Soil - Crop Interactions in Sequential and Simultaneous Agroforestry Systems. in: L. Bergstrom and H. Kirschner (Ed.) *Carbon and Nutrient Dynamics in Natural and Agricultural Tropical Ecosystems*. CAB International, Wallingford (UK). pp 173-190.
- Van Noordwijk M, Lawson G, Groot JJR, Hairiah K, (1996) Root distribution in relation to nutrients and competition. In: C.K. Ong and P.A. Huxley (Eds.). *Tree-Crop Interactions - a Physiological Approach*. CAB International, Wallingford (UK). pp 319-364.
- Van Noordwijk M, Radersma S and Lusiana B (1999) Modelling root architecture and phosphorus uptake in agroforestry. *Agroforestry Forum* 9(4) 28-30.
- Van Noordwijk M, Van Roode M, McCallie EL and Lusiana B (1998b) Erosion and sedimentation as multiscale, fractal processes: implications for models, experiments and the real world. In: F. Penning de Vries, F. Agus and J. Kerr (Eds.) *Managing Soil Erosion*. CAB International, Wallingford. 223-253.
- Vandermeer JH (1989) *The Ecology of Intercropping*. Cambridge University Press, Cambridge.
- Verchot, L.V., Davidson, E.A., Cattânio, J.H. and Ackerman, I.L. (2000) Land-use change and biogeochemical controls of methane fluxes in soils of eastern Amazonia. *Ecosystems* 3, 41-56.
- Verchot, L.V., Davidson, E.A., Cattânio, J.H., Ackerman, I.L., Erickson, H.E. and Keller, M. (1999) Land use change and biogeochemical controls of nitrogen oxide emissions from soils in eastern Amazonia. *Global Biogeochemical Cycles* 13, 31-46.
- Verchot, L.V., Mosier, A., Baggs, E.M. and Palm, C.A., (2004) Soil-Atmosphere Gas Exchange in Tropical Agriculture: Contributions to Climate Change. In: M. Van Noordwijk, G. Cadisch and C.K. Ong (Eds.) *Belowground Interactions in Tropical Agroecosystems*, CAB International, Wallingford (UK), in press
- Akyeampong E, Duguma B, Heineman AM, Kamara CS, Kiepe P, Kwesiga F, Ong CK, Otieno HJ and Rao MR (1995) A synthesis of ICRAF's research on alley cropping. In: *Alley Farming Research and Development*. AFNETA, Ibadan, Nigeria. pp 40-51.

- Wösten JHM, A Lilly, A Nemes and C Le Bas (1998) Using existing soil data to derive hydraulic parameters for simulation models in environmental studies and in land use planning. Report 156, SC-DLO, Wageningen (the Netherlands), 106 pp.
- Wösten JMH, Finke PA and Jansen MJW (1995) Comparison of class and continuous pedotransfer functions to generate soil hydraulic characteristics. *Geoderma* 66: 27-37.
- Young A (1997) *Agroforestry for Soil Management*. 2nd ed. CAB International, Wallingford (UK). 320 pp.
- Young A, Menz K, Muraya P and Smith C (1990) SCUAF Soil changes under agroforestry. Computer program with user's handbook. Version 2. ICRAF, Nairobi (Kenya) 124 pp.
- Young A, Menz K, Muraya P and Smith C, (1998) SCUAF Version 4: A model to estimate soil changes under agriculture, agroforestry and forestry. ACIAR Technical Reports Series No. 41, ACIAR, Canberra (Australia). 49 pp.