Indigenous

Tg: Fesihadima Tr: Hadalma

**Ecology:** A tall shrub widely distributed in the central and northern

highlands, 1,300-2,500 m. Common around Dbarwa, Seharti and

Quahaito.

**Uses:** Firewood, fodder, ornamental, **smoke bath** (like sauna).

**Description:** A straggling shrub to 3 m, the branches all more or less densely

hairy. LEAVES: **Oval to rounded, 5-12 cm long,** hairy, **edges round-toothed,** the base sometimes rounded to **a short stalk 1-2** cm. **FLOWERS: Cream** in colour, beside leaves, up to 30 flowers together. The **calyx hairy, its tube 6-10 mm, funnel shaped and ribbed;** sometimes the opening has 2 lips. The papery calyx remains when the petals fall. **Corolla tube hairy,** 1.3-3.0 cm. **Narrow bracteoles** grow at the base of each flower. FRUIT: 4

nutlets, 2-3 mm long.

**Propagation:** Seedlings, wildings.

Seed:

**treatment:** Not necessary.

storage: Management:

**Remarks:** Subspecies *schimperi* has leaves less than 3 cm long and long

bracteoles. The stem space between each group of flowers is large. It grows in arid bushland, rocky slopes and wadis below 1,000 m. Subspecies *fruticosa* has longer leaves, longer bracteoles

and a shorter distance between flower groups.

