Psiadia punctulata

Indigenous

Sh: Allaki	Tg: Allakhit	Tr: Tsehaiferhet	
Ecology:	A woody herb widespread in bushland and at forest edges throughout the highlands and m and Rora-habab and on Mt. Bi Dodonaea angustifolia and Acacia	. In Eritrea, it is common hidlands, e.g. around Quahaito izen, often in association with	n o
Uses:	Firewood, medicine , soil conserve bath, ceremonial.	vation, roofing material, smoke	e
Description:	A much-branched shrubby herb to 2 m or more. LEAVES: Young leaves shiny and sticky with a gum-like secretion. Older leaves alternate, smooth, long and narrow, 3-14 cm, tip long pointed, base extending along the leaf stalk. The edge may be wavy and have some small teeth. FLOWERS: Small, bright yellow in many-flowered heads, stalks 2-7 cm long. FRUIT: Tiny with little rough hairs, dispersed by wind.		
Propagation: Seed:	Wildings, direct sowing at site.		
treatment: storage: Management: Remarks:	Not necessary. Can be stored for a year at room Fast growing. The branches of this species are of string to light for the <i>Meskel</i> cel	collected and tied together with	
	hoye.	Control — usually called Hoye	_

Psiadia punctulata

