Thevetia peruviana (T. neriifolia)

Apocynaceae

Central and South America

English: Yellow oleander

Nyanja: Savesha

Ecology: A small tree with attractive foliage and flowers, widely planted throughout the

 $tropics, 0-2,000\,m.\,Commonly\,used\,as\,a\,hedge.\,It\,has\,been\,planted\,all\,over\,Zambia,\,largely\,in\,townships,\,but\,is\,a\,useful\,hedge\,even\,in\,dry\,areas\,and\,tolerates\,both\,clay\,and$

sandy soils.

Uses: Shade, ornamental, live fence.

Description: An evergreen multistemmed shrub or tree usually about 4 m, shady when full sized.

LEAVES: shiny, narrow, in spirals around the branchlets, to 15 cm long. FLOWERS: bright yellow or pale orange trumpets to 6 cm long; twisted in bud, the green base reaching the edge of the petals. FRUIT: fleshy, 4-angled to rounded, 3 cm

across on a long stalk; 1–2 large brown-black triangular seeds inside.

Propagation: Seedlings, cuttings.

Seed: Germination rate of 80%. No. of seeds per kg: ±300.

treatment: Notnecessary.

storage: Seed can be stored for about 3 months.

Management: Prune about a month before the rains to induce flowering.

Remarks: All parts of this tree are poisonous if eaten, so take care with children. Livestock can

also be poisoned by this plant. The plant is cultivated in Hawaii for a powerful heart

drug which can be extracted from the seeds.

